


**Stabplate
elements
SERIES 64**

**Metal seal coupling
elements for shallow
and deep water
systems**





Features:

- Metal seals Pat. (Inconel)
- Working pressure 690 bar/10000 psi to ISO 13628-6
- Connectable at any pressure combination top side and sub sea
- Metal seals last more than 100 connection cycles
- Low connection forces
- Large choice of end connections
- External pressure resistant valves on request
- Rear plate mounting capability

Size 3/8" – 1/4" Type 64-G06

	p/n	end connection (example)	total length	plate bore	largest od	Cv
female half	64-G06-0-LH014-AAAA-P032	JIC # 6	197 mm	34,5 mm	40,0 mm	0,68
male half	64-G06-0-XX01-AAAA-P032	Autoclave 3/8" MP	134 mm	34,5 mm	40,0 mm	

Size 1/2" Type 64-G10

	p/n	end connection (example)	total length	plate bore	largest od	Cv
female half	64-G10-0-LH019-AAAA-P032	JIC # 8	193 mm	62,0 mm	70,0 mm	2,0
male half	64-G10-1-XX001-AAAB-P032	Autoclave 1/2" MP	144 mm	46,0 mm	70,0 mm	

Size 1" – 3/4" Type 64-G16

	p/n	end connection (example)	total length	plate bore	largest od	Cv
female half	64-G16-0-LH027-AAAA	JIC # 12	239,0 mm	73,0 mm	79,0 mm	5,6
male half	64-G16-2-XX001-AAAB	Autoclave 3/4" MP	160,0 mm	52,5 mm	79,0 mm	

Wka • 04/2011

WALTHER-PRÄZISION Carl Kurt Walther GmbH & Co. KG

Hausadresse / Head office:
Westfalenstraße 2
42781 Haan, Germany
Telefon: +49 (0) 21 29 567-0
Telefax: +49 (0) 21 29 567-450

Postadresse / Postal address:
Postfach 420444
42404 Haan, Germany
eMail: info@walther-praezision.de
Internet: www.walther-praezision.de



Choose the Original
Choose Success!



walther
präzision